# Live Outside



# A Complete Line of Products for Patio and Pool Enclosures





# EZ Beam

## SAVE Time • Labor • Money

# 

Beams arrive on your job:

- Carefully packaged
- Labeled
- Custom cut
- Notched
- Gusseted
- Stitched



- Less wages
- Less workman's compensation risk
- More jobs installed with the same number of crews

# MONEY S

- Zero scrap
- Zero theft
- Elimination of costly errors
- Exact job cost knowledge
- Finished product made within thousands of an inch of specifications
- Reputation providing your customers a stronger and aesthetically superior product









# EZ Beam **Ordering is SIMPLE and QUICK**

- Fill out the online form giving key measurements, engineers name and job information.
- Click "submit" and the order is automatically converted into machine instructions.
- The customer can review the accuracy summary page and the complete package price.





Access the EZ beam online form at WWW.LANSINGPATIO.COM

\* Hole patterns are pre programmed in machine code and are per the engineer chosen.

\* Mansard beams arrive in 3 parts - straight beam and two legs









<sup>\*</sup> Pool enclosure roof beams arrive at the job in a K-D Form

# Extrusions

Lansing carries an expansive inventory so you can get the job done **quickly** and **on time**.









### **18X14 FIBERGLASS MESH**

The traditional choice for patio and pool enclosures. Designed for applications where extra strength is desired.

Standard Widths: 36, 48", 60" 72", 78", 84", 90", 96", 102", and 108"

Standard Roll Length: 100'

Standard Colors: Charcoal and Silver Gray

### **NO-SEE-UMS**

Known as No-See-Um screen, this fiberglass screen is a tightly woven 20x20 mesh designed to keep out smaller flying insects. While densely woven, this screen still allows good ventilation and visibility and provides some daytime privacy. Phifer's fiberglass screening is woven from permanent glass yarn which has been coated with a protective vinyl to ensure lasting beauty, color and flexibility. It is produced under the most exacting conditions to meet extremely rigid specifications. Fiberglass screen is noncombustible and will not rust, corrode or stain.

Standard Widths: 36", 48", 60", 72", 78", 84" and 96" (96" available in Charcoal only)

Standard Roll Length: 100'

Standard Colors: Charcoal and Silver Gray

### **GLAS-SHIELD**

Phifer Glas-Shield is our 18x14 fiberglass mesh that has been vinyl - laminated. Glas-Shield can be installed in the lower enclosure panels (chair rail down) to keep dirt and debris out of pool enclosures. Glas-Shield also functions as a privacy screen in vertical (wall) applications, however it is not made to be used as roofing material or in horizontal applications.

Standard Widths: 36" and 72"

Standard Roll Length: 100'

Standard Colors: Charcoal

## PETSCREEN



Standard Widths: 30", 36", 48" and 60"; 72" and 96" in Black only

Standard Roll Length: 100'

Standard Colors: Black and Grey

**Composition:** Vinyl-coated polyester

Mesh Weight: 11.2 oz/yd2 (380 g/m2)

Fabric Thickness: .036 (.914mm)

**Openness Factor:** Approximately 36% **UV Blockage:** Approximately 64%



# Exterior **Sun Control Fabrics**

Phifer's Exterior Sun Control Products are designed to absorb and dissipate 65 to 90 percent of the sun's heat and glare before it reaches window or door glass. This results in a more comfortable indoor temperature, more efficient air conditioning, and ultimately energy conservation.

All of Phifer's Sun Control Screens:

- Protects against annoying insects
- Offers good outward visibility
- Works with the window open or closed
- Provides daytime privacy
- Reduces harmful UV rays that damage furnishings
- GREENGUARD Air Quality Certification

# 80 • 90

SUNTCX Blocks up to 80% - 90% of the sun's heat

Standard Colors: Brown, Black, Gray, Stucco, Beige and Dark Bronze Standard Widths: 36", 48", 60", 72" and 96"; SunTex 90 available in 120" (excluding Gray) Standard Roll Length: 100 Linear Feet, 90 Linear Feet for 120" rolls

# SUPER SOVAR SCREENING +

## Blocks up to 90% of the sun's heat

Standard Colors: Charcoal and Bronze Standard Widths: 36", 48", 60" and 84" (60" available in Charcoal only) Standard Roll Length: 100 Linear Feet

Phife SUNSCICCO. Blocks up to 70% of the sun's heat

Standard Colors: Charcoal, Silver Gray and Bronze Standard Widths: 36", 48", 60", 72" and 84" (72" available in Charcoal and Bronze only)

Standard Roll Length: 100 Linear Feet



Blocks up to 65% of the sun's heat

**Standard Colors:** Charcoal and Silver Gray Standard Widths: 36", 48", 60", 72" and 84" Standard Roll Length: 100 Linear Feet









HOW SOLAR SCREENS WORK As much as 230 BTUs can fall on each square foot of glass. With Phifer Sun Control Products up to 90% of the sun's heat and glare is reflected, absorbed and dissipated before it strikes the window surface.









# **Clam Shell** Awnings



18 Colors to Choose From

Metlc, Blue

Aqua

(Limited)

Grey

Avocado

Custom-made to your color and size specifications, our aluminum awnings are the practical choice for protecting doors and windows from the elements. Affordable and long-lasting, they feature adjustable side arms that can be folded down for shade protection. Our unique slat panel design includes a side valance and full 1" cross members for added strength.

White

Green

Brown

- Reduce summer cooling costs
- No maintenance enamel finish
- Resistant to chalking and fading

### **CREATE YOUR OWN LOOK**

You can design your awnings in a solid color, select a base color and add accent stripes, or choose your own configuration. With such a wide variety of colors, the options are almost endless.

### **AWNING COMPONENTS**



CONE WITH ARM AND SLIP COLLAR W/SCREW

TRAILER PLATE WITH WING NUT

LEFT/RIGHT EARS

TIE DOWN BRACKET

"S" BRACKET AND SLIF COLLAR WITH SCREW







# Patio & Pool Enclosure Fasteners All your fastener needs for the patio market



Specially engineered 304 stainless steel As strong as carbon steel High performance ceramic coating



True Marine grade 316 stainless steel Specially designed for aluminum screen enclosures Full range of SDS & SMS in bronze and white



Unique protection system for Blue-Tap fasteners Specially designed cap and sleeve system Easy to install and carries a 10 year warranty UV stabilized for years of outdoor performance



High performance ceramic coating Never see rust again!!!



Stainless steel affords years of life expectancy Specially designed annular ring shank UV stabilized to prevent fading in extreme conditions Modified point for easy starting and driving

Ivory Gold \*Colors shown may vary slightly from actual material

Blue

Magenta

Lt. Green



- Miami-Dade Co. approved for installations in hurricane zones Excellent for fastening into concrete, brick, block and wood

  - High performance ceramic coating minimizes electrolysis
  - Eliminates electrolysis associated with dissimilar metals
- Protect any screw from harsh chemicals, weather, sunlight, saltwater and more
  - Nylo-Tec is a unique industrial nylon-headed fastener Specially designed head eliminates unsightly corrosion
  - A perfect direct replacement for original installed fasteners
  - Top-Cap range of reinforced, nylon headed fascia nails









# **Anchors** Away









Our exclusive Anchors Away product conceals unsightly anchors around your patio or pool giving you a clean finished look.

When water settles on an extrusion it accelerates the weathering process on the paint finish. The dome shaped profile of Anchors Away does not allow water to settle, extending the life of the patio or pool enclosure.



Eliminate unsightly hardware and beams with Anchors Away.

# **Motorized Screens** Top 10 Features of the Lansing Motorized Screen System

- without sagging.
- for easy adjustments on imperfect walls.
- 3. Our extruded hood system 66% thicker than the standard sheet metal hoods.
- 4. Our 5.5" rounded hood system is aesthetically pleasing to the eye.
- the opening.
- smoothly while adding rigidness at the same time on wider spans.
- without ever needing adjustment.
- assuring smooth operation for the lifetime of the assembly.
- 9. The heavy duty spring loaded idler allows for smooth and quiet operation. While making it easier to service if required.
- 10. Industry leading warranties:
  - 10 Years on powder coatings (1 year in coastal regions within 1 mile of the saltwater coastline)
  - 3 year full replacement on Smart Series motors with internal receivers (5 years on hard wired motors)
  - 1 Year on the mesh from Phifer Wire. (Ten year warranty prior to welding)



1. The strength of the motor tube coupled with the extruded box allows for spans of 21'

2. The extruded aluminum recessed track system which is 2.2" wide and 1.5" thick allows

The integrated hooking lip allows for the hood to be installed easily by one person.

5. The recessed track system allows you to mount the tracks either on the face or inside

6. The contoured bottom bar, designed to retract into the hood assembly, accommodates a  $\frac{1}{2} \times \frac{1}{2}$  stainless steel weighted bar to assist in keeping the screen taut and operating

7. The continuous zipper system allows the screen to be tensioned and still run smoothly

8. Plastic entry guides provide for a smooth clean entry of the zipper into the side rails,







# **Roof Panels**







- Highly insulated
- Aesthetically pleasing
- Skylight & ceiling fan adaptable
- Widths: 4', 2'
- Thickness: 3", 4", 6", 8"
- Lengths: to 40'
- Variety of colors
- Variety of facing options
- Light weight, yet extremely strong

Our versatile roof panels from Elite Aluminum are the only roof panel in the industry allowing you to choose the method that best suites your needs. Elite's patented interlocking designs are attractive, structurally sound and engineered to withstand the most extreme weather conditions. What's more, Elite panels are affordable, easily installed and guaranteed to last.





Our panels use a high-density polystyrene core designed to our specifications for superior strength and exceptional thermal insulation. Our insulated roof systems carry a full 10-year warranty against cracking, crazing, chipping, peeling, blistering or delaminating.

## Ideal for Patio Covers • Car Ports Walkway Covers • Commercial Uses



# Wall Systems





A fro ef co A a co Yo m fc d i u w



Add-a-Room custom-built room enclosures from Elite Aluminum Corporation are an energy efficient and structurally superior alternative to conventional stick-framed additions. An Elite Add-a-Room lets you expand your home for a fraction of the cost and time compared to conventional construction methods.

Your Add-a-Room is easily customized to meet your needs, and is readily adaptable for existing roofs, foundations, porches and decks and is available in a variety of colors and finishes. Elite's Add-a-Room can be ordered with a variety of options to make your addition truly unique. Our panels use a high-density polystyrene core designed to our specifications for superior strength and exceptional thermal insulation.





# **Expansive Inventory To Meet Your Needs**

Get the job done **QUICKLY** and **ON TIME**.





## www.lansingbp.com

Lansing Building Products is proud to offer a variety of value added services including Lansing Green Financing and Lansing Marketing Services.

## Lansing Green can help you: **INCREASE YOUR SALES • GROW YOUR BUSINESS • MAKE MORE MONEY**

By offering financing as a payment option to prospective customers you can:

- Close more sales
- Do larger projects
- Reduce job cancellations
- Know your customer has a way to pay for the project
- Improve customer satisfaction

## **Increase your profits** & grow your business

with Lansing Marketing Services











Same-As-Cash Financing **Zero Interest Loans** 



## **Marketing services Include:** Logo Design • Direct Mail • Flyers

Postcards • Business Cards

**Brochures** • Door Hangers

Magnetic Signs • Job Site Signs

## **Posters • Banners • And More!**

Lansing Marketing Services are dedicated to helping your business grow!

# **OVER 75 BRANCHES STRONG**



## Lansing is Committed to Partnering with you to Make your Business a Success.

#### **Daytona Beach**

795 Fentress Boulevard Daytona Beach, FL 32114 (386) 274-4500 or (877) 585-9437 daytonabeach@lansingbp.com

#### Melbourne

585 Distribution Drive, #1 Melbourne, FL 32904 (321) 254-1020 or (800) 842-6856 melbourne@lansingbp.com

### Sarasota

7810 25th Court East, Unit 101 Sarasota, FL 34243 (941) 552-0080 or (855) 563-3860 sarasota@lansingbp.com

#### West Palm Beach

940 W 13th Street Riviera Beach, FL 33404 (561) 848-9700 or (800) 220-7250 westpalmbeach@lansingbp.com

#### Fort Myers

3520 Metro Parkway Fort Myers, FL 33916 (239) 332-5666 or (800) 782-1866 fortmyers@lansingbp.com

#### Ocala

5371 Southeast Maricamp Road Ocala, FL 34480 (352) 624-0344 or (800) 247-9553 ocala@lansingbp.com

#### Tampa

4501 Transport Drive, Building 5 Tampa, FL 33605 (813) 963-7033 or (888) 263-1434 tampa@lansingbp.com

#### Jacksonville

12740 Kenan Drive • Building 500, Suite 100 Jacksonville, FL 32258 (904) 519-1227 or (888) 798-4695 jacksonville@lansingbp.com

### Orlando

3122-C Shader Road Orlando, FL 32808 (407) 425-1061 or (800) 445-8591 orlando@lansingbp.com

#### Tampa West

9507 N Trask Street, Suite B Tampa, FL 33624 (813) 264-6555 or (844) 276-7997 tampawest@lansingbp.com

